

VIBROSEIS magnetostrictive powder

Please enter your name, email, and contact information:

Reference Gravel Size (in.)	U.S. Mesh Size	Approximate Median Diameter (µm.)	Product Number (uncoated)
-----------------------------------	-------------------	---	------------------------------

0.006 x 0.017	40/100	300	TD40-100	<input type="checkbox"/>
0.008 x 0.017	40/70	330	TD40-70	<input type="checkbox"/>
0.010 x 0.017	40/60	350	TD40-60	<input type="checkbox"/>
0.017 x 0.033	20/40	630	TD20-40	<input type="checkbox"/>
0.023 x 0.047	16/30	880	TD16-30	<input type="checkbox"/>
0.033 x 0.066	12/20	1260	TD12-20	<input type="checkbox"/>
0.039 x 0.066	12/18	1340	TD12-18	<input type="checkbox"/>
0.033 x 0.079	10/20	1410	TD10-20	<input type="checkbox"/>
0.047 x 0.079	10/16	1590	TD10-16	<input type="checkbox"/>
0.066 x 0.094	8/12	2020	TD8-12	<input type="checkbox"/>
0.079 x 0.132	6/10	2670	TD6-10	<input type="checkbox"/>

Click the check boxes for more info.

For more information,

go to:
www.vibroseis.com

or

email at:
info@vibroseis.com

Quantities

All product in 45kg quantity unless otherwise stated.

Sales

Based on per well or per lab-test facility location licensing. Other licensing arrangements available.

Reference Ceramic Proppant Size (in.)	U.S. Mesh Size	Approximate Median Diameter (µm.)
--	----------------	---

0.008 x 0.017	40/70	300	see above	
0.012 x 0.023	30/50	512	TD30-50	<input type="checkbox"/>
0.017 x 0.033	20/40	730	see above	
0.033 x 0.047	16/20	1001	TD16-20	<input type="checkbox"/>
0.039 x 0.066	12/18	1374	see above	

U.S. Mesh	Sieve Opening		(mm)
	(in)	(mm)	
2.5	0.315	8	7.925
3	0.265	6.73	6.68
3.5	0.223	5.66	5.613
4	0.187	4.76	4.699
5	0.157	4	3.962
6	0.132	3.36	3.327
7	0.111	2.83	2.794
8	0.0937	2.38	2.362
10	0.0787	2	1.981
12	0.0661	1.68	1.651
14	0.0555	1.41	1.397
16	0.0469	1.19	1.168
18	0.0394	1	0.991
20	0.0331	0.84	0.833
25	0.028	0.71	0.701
30	0.0232	0.589	0.589
35	0.0197	0.5	0.495
40	0.0165	0.42	0.417
45	0.0138	0.351	0.351
50	0.0117	0.297	0.295
60	0.0098	0.25	0.246
70	0.0083	0.21	0.208
80	0.007	0.177	0.175
100	0.0059	0.149	0.147
120	0.0049	0.124	0.124
140	0.0041	0.104	0.104
170	0.0035	0.088	0.088
200	0.0029	0.074	0.074
230	0.0024	0.062	0.062
270	0.0021	0.053	0.053
325	0.0017	0.044	0.044
400	0.0015	0.037	0.037